

|                            |       |       |      |        |       |       |       |       |
|----------------------------|-------|-------|------|--------|-------|-------|-------|-------|
| <b>Access</b>              |       |       |      |        |       |       |       |       |
| C Series                   | 18.5  | 7.2   | 2.9  | 46.99  | 18.29 | 7.37  | C3209 | N/A   |
| Virus KC                   | 38    | 13.8  | 4.4  | 96.52  | 35.05 | 11.18 | 4214W | KB-61 |
| Virus B                    | 18.5  | 7.2   | 2.9  | 46.99  | 18.29 | 7.37  | C3209 | N/A   |
| Virus KB                   | 39    | 14.1  | 4.5  | 99.06  | 35.81 | 11.43 | 4214W | N/A   |
| <b>Alesis</b>              |       |       |      |        |       |       |       |       |
| DG-8                       | 53.5  | 18.7  | 5.4  | 135.89 | 47.5  | 13.72 | 5820W | KB-88 |
| Quadrasynth Plus           | 48    | 14    | 4.5  | 121.92 | 35.56 | 11.43 | 5014W | KB-76 |
| QS6, 6.1                   | 36    | 11.5  | 3.5  | 91.44  | 29.21 | 8.89  | 4214W | KB-61 |
| QS6, 6.2                   | 36    | 11    | 3.25 | 91.44  | 27.94 | 8.26  | 4212W | KB-61 |
| QS7, 7.1                   | 44.31 | 11.19 | 3.5  | 112.55 | 28.42 | 8.89  | 5014W | KB-76 |
| QS8                        | 51    | 16    | 4    | 129.54 | 40.64 | 10.16 | 5817W | KB-88 |
| QS8.1                      | 49.75 | 14.25 | 4.5  | 126.37 | 36.2  | 11.43 | 5014W | KB-88 |
| Andromeda                  | 40.25 | 16    | 3.25 | 102.24 | 40.64 | 8.26  | 5817W | KB-61 |
| Ion                        | 33    | 13    | 3.75 | 83.82  | 33.02 | 9.53  | 4214W | KB-61 |
| <b>Casio</b>               |       |       |      |        |       |       |       |       |
| CTK-100, 150, 50           | 33.75 | 11.25 | 3.38 | 85.73  | 28.58 | 8.57  | 4214W | KB-61 |
| CTK-510, 500               | 37    | 13.25 | 4.75 | 93.98  | 33.66 | 12.07 | 4214W | KB-61 |
| CTK-530                    | 36.75 | 12.75 | 3.75 | 93.35  | 32.39 | 9.53  | 4214W | KB-61 |
| CTK-630                    | 36.75 | 13.88 | 3.38 | 93.35  | 35.24 | 8.57  | 4214W | KB-61 |
| CTK-550, 551               | 36.75 | 16.25 | 5.25 | 93.35  | 41.28 | 13.34 | 4214W | KB-61 |
| CTK-650                    | 36.75 | 14.5  | 5.25 | 93.35  | 36.83 | 13.34 | 4214W | KB-61 |
| WK 3000, 3500              | 48.9  | 17    | 6.2  | 124.21 | 43.18 | 15.75 | 6118W | KB-88 |
| <b>Clavia</b>              |       |       |      |        |       |       |       |       |
| Nord Lead (1,2)            | 34    | 10.38 | 4.13 | 86.36  | 26.35 | 10.48 | 4214W | KB-61 |
| Electro 61 key             | 35.4  | 11.6  | 3.7  | 89.92  | 29.46 | 9.4   | 4214W | KB-61 |
| Nord 3                     | 24.25 | 10.4  | 3.5  | 61.6   | 26.42 | 8.89  | 4214W | KB-61 |
| Nord Modular               | 18.6  | 19.4  | 3.9  | 47.24  | 49.28 | 9.91  | C3613 | N/A   |
| Nord Micro Modular         | 8.2   | 4.5   | 1.5  | 20.83  | 11.43 | 3.81  | C3209 | N/A   |
| Nord Electro 2 (73 key)    | 55.75 | 14.75 | 4.75 | 141.61 | 37.47 | 12.07 | 5817W | KB-88 |
| Nord Electro 2 (61 key)    | 45    | 14.75 | 4.75 | 114.3  | 37.47 | 12.07 | 5014W | KB-61 |
| DD Drum 4 SE               | 15.6  | 6.3   | 3    | 39.62  | 16    | 7.62  | C3209 | N/A   |
| <b>E-Mu</b>                |       |       |      |        |       |       |       |       |
| E-Max 1, 2                 | 48    | 16.5  | 6.3  | 121.92 | 41.91 | 16    | N/A   | KB-88 |
| E-Synth, E-4K              | 49.25 | 13.5  | 4.13 | 125.1  | 34.29 | 10.48 | 5014W | KB-88 |
| Proteus/MPS                | 39.5  | 13    | 3.25 | 100.33 | 33.02 | 8.26  | 4214W | KB-61 |
| Halo                       | 40.75 | 13.3  | 4.32 | 103.51 | 33.78 | 10.97 | 4214W | KB-61 |
| MK-6                       | 40.75 | 13.3  | 4.32 | 103.51 | 33.78 | 10.97 | 4214W | KB-61 |
| PK-6                       | 40.75 | 13.3  | 4.32 | 103.51 | 33.78 | 10.97 | 4214W | KB-61 |
| XK-6                       | 40.75 | 13.3  | 4.32 | 103.51 | 33.78 | 10.97 | 4214W | KB-61 |
| Vintage Keys               | 40.75 | 13.3  | 4.32 | 103.51 | 33.78 | 10.97 | 4214W | KB-61 |
| <b>Ensoniq</b>             |       |       |      |        |       |       |       |       |
| DSK-8                      | 42.5  | 12    | 3    | 107.95 | 30.48 | 7.62  | 5014W | KB-61 |
| DSK-8+                     | 42.5  | 12    | 3.5  | 107.95 | 30.48 | 8.89  | 5014W | KB-61 |
| DSK-1                      | 40.5  | 13.5  | 4    | 102.87 | 34.29 | 10.16 | 4214W | KB-61 |
| SPD-1                      | 45.5  | 13.5  | 4    | 115.57 | 34.29 | 10.16 | 5014W | KB-76 |
| ESQ-1 (metal)              | 39    | 13.5  | 3.5  | 99.06  | 34.29 | 8.89  | 4214W | KB-61 |
| ESQ-1 (plastic)            | 40.5  | 13.5  | 4    | 102.87 | 34.29 | 10.16 | 4214W | KB-61 |
| SQ-80, EPS, EPS 16+, VFX   | 40.5  | 13.5  | 4    | 102.87 | 34.29 | 10.16 | 4214W | KB-61 |
| VFXsd, SD-1                | 40.5  | 13.5  | 4    | 102.87 | 34.29 | 10.16 | 4214W | KB-61 |
| SQ-1                       | 40.38 | 13.67 | 5.13 | 102.55 | 34.72 | 13.02 | 4214W | KB-61 |
| SQ-2                       | 48.38 | 13.67 | 5.13 | 122.87 | 34.72 | 13.02 | 5014W | KB-88 |
| ASR-10, TS-10              | 40.38 | 14.5  | 4    | 102.55 | 36.83 | 10.16 | 5014W | KB-88 |
| ASR-88                     | 56.75 | 15.63 | 5    | 144.15 | 39.69 | 12.7  | 5817W | KB-88 |
| TS-12, MR-76, ZR-76, KT-76 | 50.5  | 15.63 | 5    | 128.27 | 39.69 | 12.7  | 5817W | KB-88 |
| KS-32                      | 49.5  | 14    | 4.5  | 125.73 | 35.56 | 11.43 | 5014W | KB-88 |
| KT-88                      | 56.75 | 15.63 | 5    | 144.15 | 39.69 | 12.7  | 5817W | KB-88 |
| MR-61                      | 41.75 | 14.67 | 4    | 106.05 | 37.26 | 10.16 | 4214W | KB-76 |
| <b>Farfisa</b>             |       |       |      |        |       |       |       |       |
| F1                         | 47.75 | 17    | 6    | 121.29 | 43.18 | 15.24 | 5817W | KB-88 |
| F5                         | 42    | 16.5  | 5    | 106.68 | 41.91 | 12.7  | 5817W | KB-61 |
| <b>General Music</b>       |       |       |      |        |       |       |       |       |
| CD10, 20, 30               | 38    | 12.75 | 4.25 | 96.52  | 32.39 | 10.8  | 4214W | KB-61 |
| Equinox 61, HD             | 41.5  | 13.88 | 4.75 | 105.41 | 35.24 | 12.07 | 4214W | KB-76 |
| Equinox 76, HD             | 49.88 | 13.88 | 4.75 | 126.68 | 35.24 | 12.07 | 5014W | KB-88 |
| Equinox 88 Pro             | 53.13 | 16.5  | 5.5  | 134.94 | 41.91 | 13.97 | 5817W | KB-88 |
| Pro 1, 2                   | 52.5  | 14.31 | 5.25 | 133.35 | 36.35 | 13.34 | 5817W | KB-88 |

|                      |       |       |      |        |       |       |       |       |
|----------------------|-------|-------|------|--------|-------|-------|-------|-------|
| S2, SX2              | 41.5  | 13.75 | 4.13 | 105.41 | 34.93 | 10.48 | 4214W | KB-76 |
| S3, SX3              | 49.5  | 13.75 | 4.5  | 125.73 | 34.93 | 11.43 | 5014W | KB-88 |
| SK760, Powerstation  | 49.88 | 14.75 | 5.25 | 126.68 | 37.47 | 13.34 | 5014W | KB-88 |
| SK880, Powerstation  | 53.25 | 16.38 | 5.5  | 135.26 | 41.59 | 13.97 | 5817W | KB-88 |
| <b>Hammond</b>       |       |       |      |        |       |       |       |       |
| XK-2                 | 46    | 15.75 | 4.13 | 116.84 | 40.01 | 10.48 | 5817W | KB-88 |
| <b>Kawai</b>         |       |       |      |        |       |       |       |       |
| ES-1, ESX            | 53    | 13    | 5    | 134.62 | 33.02 | 12.7  | 5817W | KB-88 |
| KC20                 | 38    | 8.13  | 3.13 | 96.52  | 20.64 | 7.94  | 4214W | KB-61 |
| K11                  | 36.88 | 10.25 | 3    | 93.66  | 26.04 | 7.62  | 4214W | KB-61 |
| K5000W               | 41    | 12.63 | 3.75 | 104.14 | 32.07 | 9.53  | 4214W | KB-61 |
| MP9000               | 57    | 17.5  | 7.75 | 144.78 | 44.45 | 19.69 | 6818W | KB-88 |
| X30, X120. X130      | 36    | 12.13 | 3.88 | 91.44  | 30.8  | 9.84  | 4214W | KB-61 |
| <b>Korg</b>          |       |       |      |        |       |       |       |       |
| 01W                  | 41.5  | 13.75 | 4.5  | 105.41 | 34.93 | 11.43 | 4214W | KB-76 |
| 01W ProX             | 58    | 20.25 | 5.38 | 147.32 | 51.44 | 13.65 | 5820W | N/A   |
| cX3                  | 46.5  | 17    | 6.38 | 118.11 | 43.18 | 16.19 | 6118W | KB-88 |
| c15S                 | 54.4  | 18    | 3.2  | 138.18 | 45.72 | 8.13  | 5820W | KB-88 |
| i1                   | 59.25 | 21.13 | 7    | 150.5  | 53.66 | 17.78 | 6118W | N/A   |
| i2                   | 50.5  | 13.75 | 4.63 | 128.27 | 34.93 | 11.75 | 5014W | KB-88 |
| i3                   | 42.63 | 13.75 | 4    | 108.27 | 34.93 | 10.16 | 4214W | KB-76 |
| i4S                  | 46.5  | 15.13 | 5.5  | 118.11 | 38.42 | 13.97 | 5817W | KB-88 |
| i5S                  | 40.5  | 14    | 4.5  | 102.87 | 35.56 | 11.43 | 4214W | KB-61 |
| i30                  | 43    | 13.75 | 4.63 | 109.22 | 34.93 | 11.75 | 5014W | KB-76 |
| is40, is50           | 43.75 | 15.25 | 5.63 | 111.13 | 38.74 | 14.29 | 5817W | KB-61 |
| ix300                | 42.38 | 13.25 | 4.25 | 107.63 | 33.66 | 10.8  | 4214W | KB-76 |
| Karma                | 43.38 | 12.63 | 4.75 | 110.17 | 32.07 | 12.07 | 5014W | KB-76 |
| Micro Control        | 20.63 | 9.13  | 2.76 | 52.4   | 23.19 | 7.01  | C3613 | N/A   |
| Micro Korg           | 20.63 | 9.13  | 2.76 | 52.4   | 23.19 | 7.01  | C3613 | N/A   |
| n1                   | 52    | 15.5  | 5.5  | 132.08 | 39.37 | 13.97 | 5817W | KB-88 |
| n5, EX               | 40.5  | 11.75 | 3.38 | 102.87 | 29.85 | 8.57  | 4214W | KB-61 |
| n264                 | 50.75 | 13.25 | 4.25 | 128.91 | 33.66 | 10.8  | 5014W | KB-88 |
| n364                 | 42.38 | 13.25 | 5    | 107.63 | 33.66 | 12.7  | 5014W | KB-76 |
| PA-50                | 41.5  | 15.47 | 5.91 | 105.41 | 39.29 | 15.01 | 5817W | KB-61 |
| PA-80                | 43.7  | 15.3  | 6.45 | 111    | 38.86 | 16.38 | 6118W | KB-61 |
| PA-60                | 43.7  | 15.3  | 6.45 | 111    | 38.86 | 16.38 | 6118W | KB-61 |
| PA1X                 | 44.21 | 16.85 | 7.44 | 112.29 | 42.8  | 18.9  | N/A   | KB-88 |
| PA1X Pro             | 52.36 | 11.88 | 5.35 | 132.99 | 30.18 | 13.59 | 5817W | KB-88 |
| Prophecy             | 29.13 | 11.25 | 4    | 73.98  | 28.58 | 10.16 | C3613 | N/A   |
| SG ProX              | 52    | 15.38 | 5.5  | 132.08 | 39.05 | 13.97 | 5817W | KB-88 |
| SP-100               | 53.75 | 10.88 | 4.5  | 136.53 | 27.62 | 11.43 | 5817W | KB-88 |
| SP- 200              | 52.3  | 11.2  | 4.8  | 132.84 | 28.45 | 12.19 | 5817W | KB-88 |
| SP- 300              | 52    | 13.75 | 5.2  | 132.08 | 34.93 | 13.21 | 5817W | KB-88 |
| SP- 500              | 50.59 | 12.6  | 4.88 | 128.5  | 32    | 12.4  | 5014W | KB-88 |
| Trinity V3, z1, Plus | 43    | 13.75 | 5    | 109.22 | 34.93 | 12.7  | 5014W | KB-76 |
| Trinity Pro          | 51    | 13.75 | 5    | 129.54 | 34.93 | 12.7  | 5014W | KB-88 |
| Trinity ProX         | 60.63 | 18.25 | 5.75 | 153.99 | 46.36 | 14.61 | 6118W | N/A   |
| Triton               | 42.31 | 13.75 | 4.88 | 107.47 | 34.93 | 12.38 | 4214W | KB-76 |
| Triton Pro           | 50.5  | 13.75 | 4.88 | 128.27 | 34.93 | 12.38 | 5014W | KB-88 |
| Triton ProX          | 58    | 17.19 | 5.38 | 147.32 | 43.66 | 13.65 | 5820W | N/A   |
| Triton Studio 88     | 50.07 | 17.32 | 5.75 | 127.18 | 43.99 | 14.61 | 5820W | N/A   |
| Triton Studio 76     | 51.61 | 15.04 | 5.08 | 131.09 | 38.2  | 12.9  | 5817W | KB-88 |
| Triton Studio 61     | 43.46 | 15.04 | 5.08 | 110.39 | 38.2  | 12.9  | 5817W | KB-61 |
| Triton Le 88 key     | 55.95 | 14.46 | 4.85 | 142.11 | 36.73 | 12.32 | 5817W | KB-88 |
| Triton Le 76 key     | 49.51 | 11.9  | 3.75 | 125.76 | 30.23 | 9.53  | 5014W | KB-88 |
| Triton Le 61 key     | 41.15 | 11.9  | 3.75 | 104.52 | 30.23 | 9.53  | 4214W | KB-61 |
| Triton 61 Extreme    | 43.64 | 14.17 | 4.61 | 110.85 | 35.99 | 11.71 | 5014W | KB-61 |
| Triton 76 Extreme    | 51.79 | 14.17 | 4.61 | 131.55 | 35.99 | 11.71 | 5817W | KB-88 |
| Triton 88 Extreme    | 57.17 | 16.52 | 5.65 | 145.21 | 41.96 | 14.35 | 5817W | KB-88 |
| x2                   | 50.75 | 13.38 | 4    | 128.91 | 33.97 | 10.16 | 5014W | KB-88 |
| x3                   | 41.5  | 13.38 | 3.75 | 105.41 | 33.97 | 9.53  | 4214W | KB-76 |
| x5, x5D              | 35.5  | 10    | 3.25 | 90.17  | 25.4  | 8.26  | 4214W | KB-61 |
| <b>Kurzweil</b>      |       |       |      |        |       |       |       |       |
| PC-2                 | 47.88 | 14    | 5.31 | 121.6  | 35.56 | 13.49 | 5014W | KB-76 |
| PC-2X                | 54.31 | 14    | 4.31 | 137.95 | 35.56 | 10.95 | 5817W | KB-88 |
| PC-88, MX            | 54.25 | 14    | 4.25 | 137.8  | 35.56 | 10.8  | 5817W | KB-88 |

|                         |       |       |      |        |       |       |       |       |
|-------------------------|-------|-------|------|--------|-------|-------|-------|-------|
| K2000VP, K2VX           | 41    | 13.5  | 4.13 | 104.14 | 34.29 | 10.48 | 4214W | KB-61 |
| K2500, S, K2600         | 47.75 | 17.75 | 4.75 | 121.29 | 45.09 | 12.07 | 5820W | KB-88 |
| K2500X, K2600X          | 54.38 | 17.75 | 4.75 | 138.11 | 45.09 | 12.07 | 5820W | KB-88 |
| SP-76                   | 47.25 | 11.5  | 3.5  | 120.02 | 29.21 | 8.89  | 5014W | KB-76 |
| SP-88                   | 53.38 | 11.5  | 3.5  | 135.57 | 29.21 | 8.89  | 5817W | KB-88 |
| SP-88X                  | 54.75 | 14    | 4.75 | 139.07 | 35.56 | 12.07 | 5817W | KB88  |
| KME 61                  | 37.25 | 12    | 3.25 | 94.62  | 30.48 | 8.26  | 4214W | KB-61 |
| <b>Novation</b>         |       |       |      |        |       |       |       |       |
| Remote 25 Audio Extreme | 18.4  | 10.9  | 2.6  | 46.74  | 27.69 | 6.6   | C3613 | N/A   |
| KS-4                    | 33.5  | 11.5  | 3.7  | 85.09  | 29.21 | 9.4   | C3613 | N/A   |
| KS-5                    | 40    | 11.5  | 3.7  | 101.6  | 29.21 | 9.4   | 4214W | KB-61 |
| K Station               | 20.6  | 11.6  | 3.7  | 52.32  | 29.46 | 9.4   | C3613 | N/A   |
| Bass Station keyboard   | 18.75 | 8.25  | 2    | 47.63  | 20.96 | 5.08  | C3209 | N/A   |
| Nova II                 | 33.8  | 11.8  | 3.7  | 85.85  | 29.97 | 9.4   | C3613 | N/A   |
| Super Nova II           | 40    | 12.9  | 4.4  | 101.6  | 32.77 | 11.18 | 4214W | KB-61 |
| <b>Peavey</b>           |       |       |      |        |       |       |       |       |
| DPMsi                   | 44.25 | 14.25 | 4.25 | 112.4  | 36.2  | 10.8  | 5014W | KB-76 |
| DPM4                    | 40.75 | 14.25 | 3.75 | 103.51 | 36.2  | 9.53  | 4214W | KB-61 |
| DPM488                  | 57.25 | 19    | 7.75 | 145.42 | 48.26 | 19.69 | N/A   | KB88  |
| DPMC8                   | 57.25 | 18.25 | 6.88 | 145.42 | 46.36 | 17.46 | 6818W | KB88  |
| DPMC8P & X              | 51    | 15.25 | 5.25 | 129.54 | 38.74 | 13.34 | 5817W | KB88  |
| <b>Roland</b>           |       |       |      |        |       |       |       |       |
| A-33                    | 47    | 10.75 | 4.5  | 119.38 | 27.31 | 11.43 | 5014W | KB-76 |
| A-37                    | 47.06 | 10.69 | 4.5  | 119.54 | 27.15 | 11.43 | 5014W | KB-76 |
| A-70                    | 49    | 14.06 | 5.38 | 124.46 | 35.72 | 13.65 | 5014W | KB88  |
| A-90                    | 57.5  | 16    | 5.25 | 146.05 | 40.64 | 13.34 | 5817W | KB88  |
| AX-7                    | 39.81 | 7.69  | 4.06 | 101.12 | 19.53 | 10.31 | 4214W | KB-61 |
| Discover 5              | 46.63 | 14.63 | 5    | 118.43 | 37.15 | 12.7  | 5014W | KB88  |
| E-36                    | 41.88 | 13.88 | 4.56 | 106.36 | 35.24 | 11.59 | 4214W | KB-76 |
| E-16                    | 37.63 | 13.38 | 4.56 | 95.57  | 33.97 | 11.59 | 4214W | KB-61 |
| E-66                    | 41.88 | 13.88 | 4.56 | 106.36 | 35.24 | 11.59 | 4214W | KB-76 |
| E-500, E-600            | 45.25 | 16.13 | 5.5  | 114.94 | 40.96 | 13.97 | 5817W | KB-61 |
| EM-15, EM-25            | 37.69 | 13.63 | 5.06 | 95.73  | 34.61 | 12.85 | 4214W | KB-61 |
| EM-55                   | 40    | 15.75 | 6    | 101.6  | 40.01 | 15.24 | N/A   | KB-61 |
| EP-70, 711              | 44.81 | 13.38 | 4    | 113.82 | 33.97 | 10.16 | 5014W | KB-76 |
| EP-75, 85               | 52.25 | 15    | 4.5  | 132.72 | 38.1  | 11.43 | 5817W | KB-88 |
| EP-90                   | 51.31 | 13.38 | 4.25 | 130.33 | 33.97 | 10.8  | 5817W | KB-88 |
| EP-95                   | 56.5  | 18    | 7    | 143.51 | 45.72 | 17.78 | 6818W | KB-88 |
| EXR-5/3                 | 40.19 | 14    | 5.25 | 102.08 | 35.56 | 13.34 | 4214W | KB-61 |
| EXR-7                   | 49.63 | 14.69 | 5.5  | 126.05 | 37.31 | 13.97 | 5014W | KB-88 |
| Fantom                  | 49.94 | 15.75 | 4.56 | 126.84 | 40.01 | 11.59 | 5817W | KB-88 |
| Fantom-s                | 41.38 | 14.13 | 4.31 | 105.09 | 35.88 | 10.95 | 4214W | KB-61 |
| Fantom-s 88             | 55.44 | 17.94 | 6    | 140.81 | 45.57 | 15.24 | 6818W | KB-88 |
| Fantom X6               | 41.38 | 14.13 | 4.94 | 105.09 | 35.88 | 12.54 | 4214W | KB-61 |
| Fantom X7               | 49.69 | 14.13 | 4.94 | 126.21 | 35.88 | 12.54 | 5014W | KB-88 |
| Fantom X8               | 55.44 | 17.94 | 6.5  | 140.81 | 45.57 | 16.51 | 6118W | KB-88 |
| FP-1                    | 52.63 | 13.75 | 5.94 | 133.67 | 34.93 | 15.08 | 5817W | KB-88 |
| FP-2                    | 50.88 | 11.81 | 5    | 129.22 | 30    | 12.7  | 5014W | KB-88 |
| FP-3                    | 50.88 | 11.94 | 4.94 | 129.22 | 30.32 | 12.54 | 5014W | KB-88 |
| FP-5                    | 51.5  | 14.19 | 5.06 | 130.81 | 36.04 | 12.85 | 5817W | KB-88 |
| FP-9                    | 52.06 | 15.38 | 4.63 | 132.24 | 39.05 | 11.75 | 5817W | KB-88 |
| G-800, G-1000           | 49.88 | 16.25 | 5.88 | 126.68 | 41.28 | 14.92 | 5817W | KB-88 |
| JP-8000                 | 36.44 | 13.75 | 4.5  | 92.55  | 34.93 | 11.43 | 4214W | KB-61 |
| JV-35, JV-50, XP-30     | 39.75 | 11.5  | 3.5  | 100.97 | 29.21 | 8.89  | 4214W | KB-61 |
| JV-90                   | 47.25 | 12    | 3.38 | 120.02 | 30.48 | 8.57  | 5014W | KB-76 |
| JX-305                  | 39.88 | 11.38 | 3.25 | 101.28 | 28.89 | 8.26  | 4214W | KB-61 |
| KF-90                   | 52.06 | 16.63 | 5.38 | 132.24 | 42.23 | 13.65 | 5817W | KB-88 |
| RD-100                  | 53.5  | 13.63 | 4.75 | 135.89 | 34.61 | 12.07 | 5817W | KB-88 |
| RD170                   | 53.94 | 13.88 | 5    | 137    | 35.24 | 12.7  | 5817W | KB-88 |
| RD-150                  | 54.33 | 12.63 | 4.13 | 138    | 32.07 | 10.48 | 5817W | KB-88 |
| RD-500                  | 55.25 | 15.75 | 5.25 | 140.34 | 40.01 | 13.34 | 5817W | KB-88 |
| RD-600                  | 55.88 | 15.38 | 5.5  | 141.92 | 39.05 | 13.97 | 5817W | KB-88 |
| RD-700                  | 55.69 | 14.75 | 5.69 | 141.45 | 37.47 | 14.45 | 5817W | KB-88 |
| Juno D                  | 40.25 | 11.5  | 4.06 | 102.24 | 29.21 | 10.31 | 4214W | KB-61 |
| RS-5                    | 40.69 | 11.63 | 4.06 | 103.35 | 29.53 | 10.31 | 4214W | KB-61 |
| RS-9                    | 54.94 | 11.63 | 4.25 | 139.54 | 29.53 | 10.8  | 5817W | KB-88 |

|                        |       |       |      |        |       |       |       |       |
|------------------------|-------|-------|------|--------|-------|-------|-------|-------|
| RS-70/50               | 40.69 | 11.63 | 4.06 | 103.35 | 29.53 | 10.31 | 4214W | KB-61 |
| V Synth                | 42    | 16    | 4.38 | 106.68 | 40.64 | 11.11 | 5817W | KB-61 |
| VA-3                   | 40    | 15.75 | 5.63 | 101.6  | 40.01 | 14.29 | 5817W | KB-61 |
| VA-5, VA-7             | 47    | 16    | 7.75 | 119.38 | 40.64 | 19.69 | N/A   | KB-88 |
| VA-76                  | 49.81 | 16.06 | 5.63 | 126.52 | 40.8  | 14.29 | 5817W | KB-88 |
| VR-760                 | 50.88 | 15.75 | 4.81 | 129.22 | 40.01 | 12.22 | 5817W | KB-88 |
| VK-7                   | 45.69 | 13.13 | 3.31 | 116.05 | 33.34 | 8.41  | 5014W | KB-76 |
| VK-8                   | 45.69 | 13.56 | 4.31 | 116.05 | 34.45 | 10.96 | 5014W | KB-76 |
| XP-10                  | 40.75 | 11.75 | 3.75 | 103.51 | 29.85 | 9.53  | 4214W | KB-61 |
| XP-30                  | 39.68 | 11.38 | 3.5  | 100.8  | 28.89 | 8.89  | 4214W | KB-61 |
| XP-80                  | 48.5  | 14    | 4    | 123.19 | 35.56 | 10.16 | 5014W | KB-88 |
| XP-50, XP-60           | 40.5  | 13.38 | 3.88 | 102.87 | 33.97 | 9.84  | 4214W | KB-61 |
| XV-88                  | 55.44 | 16.38 | 5.63 | 140.81 | 41.59 | 14.29 | 5817W | KB-88 |
| V Synth                | 41.63 | 15.69 | 4.38 | 105.73 | 39.85 | 11.11 | 5817W | KB-61 |
| <b>Suzuki</b>          |       |       |      |        |       |       |       |       |
| Keyman                 | 52.5  | 16    | 5.5  | 133.35 | 40.64 | 13.97 | 5817W | KB-88 |
| SP-50                  | 41.5  | 15.5  | 6    | 105.41 | 39.37 | 15.24 | N/A   | KB-61 |
| SP-10                  | 44.5  | 17    | 7    | 113.03 | 43.18 | 17.78 | N/A   | KB-61 |
| SP-9                   | 44    | 7     | 5    | 111.76 | 17.78 | 12.7  | 5817W | KB-76 |
| SP-8                   | 44    | 14.5  | 5.5  | 111.76 | 36.83 | 13.97 | 5014W | KB-61 |
| <b>Technics</b>        |       |       |      |        |       |       |       |       |
| SX-KN3000              | 41.38 | 17.88 | 6.88 | 105.09 | 45.4  | 17.46 | N/A   | KB-88 |
| SX-KN5000              | 41.75 | 16.25 | 6.88 | 106.05 | 41.28 | 17.46 | N/A   | KB-61 |
| SX-KN6000              | 41.75 | 16.5  | 7.88 | 106.05 | 41.91 | 20    | N/A   | KB-61 |
| SX-KN701, KN501        | 39.25 | 13.68 | 4.63 | 99.7   | 34.73 | 11.75 | 4214W | KB-61 |
| SX-KN901               | 39.25 | 13.68 | 4.63 | 99.7   | 34.73 | 11.75 | 4214W | KB-61 |
| SX-KN-930              | 41.63 | 16    | 5.88 | 105.73 | 40.64 | 14.92 | 5817W | KB-61 |
| SX-KN-1400             | 41.63 | 16    | 6.38 | 105.73 | 40.64 | 16.19 | N/A   | KB-61 |
| SX-WSA1                | 41.5  | 13.88 | 4.5  | 105.41 | 35.24 | 11.43 | 4214W | KB-61 |
| <b>Wersi</b>           |       |       |      |        |       |       |       |       |
| P1000                  | 43.5  | 17    | 5.5  | 110.49 | 43.18 | 13.97 | 5817W | KB-61 |
| <b>Wurlitzer</b>       |       |       |      |        |       |       |       |       |
| WX-2                   | 43    | 17    | 4    | 109.22 | 43.18 | 10.16 | 5817W | KB-61 |
| <b>Yamaha</b>          |       |       |      |        |       |       |       |       |
| 9000 Pro               | 50    | 16    | 5.5  | 127    | 40.64 | 13.97 | 5817W | KB88  |
| CS1X, AN1X, CS2X       | 38.38 | 11.25 | 4    | 97.47  | 28.58 | 10.16 | 4214W | KB-61 |
| CS6X                   | 40.13 | 14.56 | 4.38 | 101.92 | 36.99 | 11.11 | 5014W | KB-61 |
| DGX-202                | 47.1  | 16.5  | 6.12 | 119.63 | 41.91 | 15.54 | N/A   | KB-88 |
| DGX-500                | 55.2  | 17.2  | 6.92 | 140.21 | 43.69 | 17.58 | 6818W | KB-88 |
| EX5,R                  | 49.5  | 16    | 5.5  | 125.73 | 40.64 | 13.97 | 5817W | KB-88 |
| EX7                    | 41.75 | 16    | 5.5  | 106.05 | 40.64 | 13.97 | 5817W | KB-61 |
| Motif 6                | 41.75 | 15.63 | 5.25 | 106.05 | 39.69 | 13.34 | 5014W | KB-61 |
| Motiff 7               | 49.38 | 15.68 | 5.25 | 125.41 | 39.81 | 13.34 | 5817W | KB-88 |
| Motiff 8               | 57.38 | 18.25 | 6.5  | 145.73 | 46.36 | 16.51 | 6118W | KB-88 |
| Motif 6ES              | 41.25 | 15.5  | 5.38 | 104.78 | 39.37 | 13.65 | 5817W | KB-61 |
| Motiff 7ES             | 49.38 | 15.5  | 5.38 | 125.41 | 39.37 | 13.65 | 5817W | KB-88 |
| Motiff 8ES             | 57.38 | 18.25 | 6.63 | 145.73 | 46.36 | 16.83 | 6118W | KB-88 |
| P-60                   | 52.81 | 13.94 | 5.44 | 134.14 | 35.41 | 13.82 | 5817W | KB-88 |
| P-80                   | 53    | 11.25 | 5    | 134.62 | 28.58 | 12.7  | 5817w | KB-88 |
| P-90                   | 53    | 11.25 | 5    | 134.62 | 28.58 | 12.7  | 5817W | KB-88 |
| P-120                  | 53.31 | 13.16 | 5.31 | 135.41 | 33.42 | 13.49 | 5817W | KB-88 |
| P-150                  | 54.5  | 16.75 | 6.25 | 138.43 | 42.55 | 15.88 | 5817W | KB-88 |
| P-200                  | 54.69 | 18.13 | 6.56 | 138.91 | 46.04 | 16.67 | 6818W | KB-88 |
| P-250                  | 54.69 | 18.13 | 6.56 | 138.91 | 46.04 | 16.67 | 6818W | KB-88 |
| PSR-85                 | 38    | 11.25 | 4.5  | 96.52  | 28.58 | 11.43 | 4214W | KB-61 |
| PSR-77                 | 36.63 | 13.63 | 5.38 | 93.03  | 34.61 | 13.65 | 4214W | KB-61 |
| PSR-79,140, 248        | 36.25 | 12.5  | 4.25 | 92.08  | 31.75 | 10.8  | 4214W | KB-61 |
| PSR-170                | 36.67 | 13.75 | 5.06 | 93.14  | 34.93 | 12.85 | 4214W | KB-61 |
| PSR-195                | 36.67 | 13.75 | 4.33 | 93.14  | 34.93 | 11    | 4214W | KB-61 |
| PSR-220                | 36.4  | 14.5  | 4.7  | 92.46  | 36.83 | 11.94 | 4214W | KB-61 |
| PSR-225GM, 270, 282    | 36.75 | 14.63 | 5.06 | 93.35  | 37.15 | 12.85 | 4214W | KB-61 |
| PSR-230                | 37    | 13.5  | 5.5  | 93.98  | 34.29 | 13.97 | 4214W | KB-61 |
| PSR-240, 320, 330, 420 | 36.75 | 14.63 | 5    | 93.35  | 37.15 | 12.7  | 4214W | KB-61 |
| PSR-260, 280           | 37.38 | 14.75 | 5.25 | 94.93  | 37.47 | 13.34 | 4214W | KB-61 |
| PSR-262                | 36.75 | 14.58 | 5.5  | 93.35  | 37.04 | 13.97 | N/A   | KB-61 |
| PSR-292                | 38.1  | 15.5  | 5.6  | 96.77  | 39.37 | 14.22 | N/A   | KB-61 |

|                   |       |       |      |        |       |       |       |       |
|-------------------|-------|-------|------|--------|-------|-------|-------|-------|
| PSR-340, 540, 550 | 37.5  | 15.25 | 6.67 | 95.25  | 38.74 | 16.94 | N/A   | KB-61 |
| PSR-350           | 37.5  | 15.25 | 6.67 | 95.25  | 38.74 | 16.94 | N/A   | KB-61 |
| PSR-640, 740      | 38.31 | 15.63 | 6.38 | 97.31  | 39.69 | 16.19 | N/A   | KB-61 |
| PSR-530           | 37.5  | 15.25 | 5.88 | 95.25  | 38.74 | 14.92 | N/A   | KB-61 |
| PSR-630, 730      | 38.25 | 15.63 | 6.13 | 97.16  | 39.69 | 15.56 | N/A   | KB-61 |
| PSR-1000          | 39    | 16    | 16.5 | 99.06  | 40.64 | 41.91 | N/A   | KB-61 |
| PSR-1100          | 38.31 | 15.69 | 6.31 | 97.31  | 39.85 | 16.03 | N/A   | KB-61 |
| PSR-4000          | 42.38 | 18.13 | 7    | 107.63 | 46.04 | 17.78 | N/A   | KB-88 |
| PSR-7000, 8000    | 41.67 | 17.5  | 7    | 105.84 | 44.45 | 17.78 | N/A   | KB-88 |
| PSR-D1, DJx       | 36.75 | 14.56 | 5.44 | 93.35  | 36.99 | 13.81 | N/A   | KB-61 |
| QS-300            | 42    | 14.63 | 4.75 | 106.68 | 37.15 | 12.07 | 4214W | KB-76 |
| S-03              | 38.25 | 11.25 | 3.25 | 97.16  | 28.58 | 8.26  | 4214W | KB-61 |
| S-08              | 52.75 | 15.25 | 6    | 133.99 | 38.74 | 15.24 | 5817W | KB-88 |
| S-30              | 39.44 | 13.56 | 3.88 | 100.17 | 34.45 | 9.84  | 4214W | KB-61 |
| S-80              | 52.31 | 16.63 | 6.19 | 132.87 | 42.23 | 15.72 | 6118W | KB-88 |
| S-90              | 53.38 | 15.13 | 6.38 | 135.57 | 38.42 | 16.19 | 6118W | KB-88 |
| SY-99             | 49.38 | 16    | 4.38 | 125.41 | 40.64 | 11.11 | 5817W | KB-88 |
| Tyros             | 45.25 | 16.9  | 5.4  | 114.94 | 42.93 | 13.72 | 5817W | KB-61 |
| VL1, VL7 (49 key) | 36    | 14.88 | 4.13 | 91.44  | 37.78 | 10.48 | N/A   | KB-61 |
| W7                | 42.5  | 14.63 | 4.75 | 107.95 | 37.15 | 12.07 | 5014W | KB-76 |
| W5                | 50.75 | 14.63 | 4.75 | 128.91 | 37.15 | 12.07 | 5014W | KB-88 |
| YPP-15, 35        | 38.19 | 15    | 5    | 97     | 38.1  | 12.7  | 5817W | KB-61 |
| YPR-50, PSR-GX-76 | 46.75 | 17.13 | 5.44 | 118.75 | 43.5  | 13.81 | N/A   | KB-88 |
| <b>Waldorf</b>    |       |       |      |        |       |       |       |       |
| Q+                | 39.25 | 14.25 | 5.31 | 99.7   | 36.2  | 13.49 | 4214W | KB-61 |
| Q                 | 39.25 | 14.25 | 5.31 | 99.7   | 36.2  | 13.49 | 4214W | KB-61 |
| Microwave XTK     | 39.25 | 14.25 | 5.31 | 99.7   | 36.2  | 13.49 | 4214W | KB-61 |