



*PROFESSIONAL SERIES*

---

# **T8**

**8-OUTPUT MIDI THRU BOX**

## **OPERATING INSTRUCTIONS**

MIDI Solutions T8 Operating Instructions M421-100

© 2012 MIDI Solutions Inc. All rights reserved.


MIDI Solutions Inc.  
PO Box 3010  
Vancouver, BC Canada  
V6B 3X5

[www.midisolutions.com](http://www.midisolutions.com)

## INTRODUCTION

Thank you for purchasing the MIDI Solutions T8 8-output MIDI Thru Box.

The MIDI Solutions T8 provides eight MIDI Thru outputs from one MIDI input, allowing additional MIDI outputs to be added at any point in the MIDI chain. Active circuitry cleans up any skewing of the data bits that has occurred at the input, resulting in accurate output signals. The MIDI Solutions T8 is MIDI-powered and requires no batteries or power supply to operate.



## CONNECTIONS

Connect the MIDI Out or Thru of the sending MIDI device to the MIDI In of the T8. Connect the MIDI Thru outputs of the T8 (**Thru1 - Thru8**) to the MIDI inputs of one or more receiving MIDI devices. It is recommended that no other MIDI-powered products be connected to any of the T8's MIDI inputs or outputs.

## OPERATION

The T8's MIDI Indicator LED will light as soon as the sending device is turned on, and flashes whenever MIDI data passes through the unit. All MIDI messages appearing at the MIDI input are sent to each MIDI Thru output (**Thru1 - Thru8**).

## **WARRANTY**

MIDI Solutions Inc. warrants this product to be free from defects in material and workmanship for a period of one (1) year from date of purchase. This warranty is void if the product has been damaged by accident, misuse, alteration, unauthorized repairs or other causes not arising out of defects in material or workmanship. Under no circumstances will MIDI Solutions be liable for any loss of profits, benefits, time, interrupted operation, commercial loss, or consequential damages arising out of the use or inability to use the product. MIDI Solutions specifically disclaims any implied warranties of merchantability and fitness for a particular purpose. If the product requires service, a Return Merchandise Authorization (RMA) number must be obtained from MIDI Solutions and the product must be shipped prepaid to a specified Service Center. MIDI Solutions will repair or replace the product at our discretion and will pay return shipping fees. The customer is responsible for any damage or loss sustained during shipment in any direction.